### **Giant Deckchair - Risk Assessment**

| Company:             | The Fun Experts   | Location (Site / Building / Room): | Events                                    |  |  |  |  |  |
|----------------------|---|------------------------------------|---|--|--|--|--|--|
| Assessment Date:     | 20 March 2025   | Review Date:                       | 31 March 2026 (or if changes to the risk) |  |  |  |  |  |
| Assessor's Name:     | James Hindle  | Job Title:                         | Logistics Co-Ordinator (IOSH)             |  |  |  |  |  |
| Description of Task: | Transportation, Assembly and Use of Giant Deckchair Equipment |                                    |   |  |  |  |  |  |

| Description of  |                                      |   | Evaluation and   | Current risk rating* |   |   | Identify any   | Timescale for                                    | Risk Rating |               |             |
|---|--------------------------------------|---|--|----------------------|---|---|--|--|-------------|---------------|-------------|
| the hazard (or<br>hazardous<br>event)                   | hazardous at risk? risk?             |   | Control<br>Measures  | L                    | С | R | additional controls<br>that may be needed  | additional controls<br>and responsible<br>person | L<br>(Low)  | M<br>(Medium) | H<br>(High) |
| Loading, Handling<br>and Transportation<br>of Equipment | Operator / Spectator                 | Injury whilst handling equipment                        | a). Equipment must be handled in the correct manner. b). Manual handling should be reduced to a minimum by using available trolleys / trucks. c). Ramps / Lifts to be used when required and available. d). Loads must be correctly secured. e). Individuals are not to undertake anything that puts themselves or anyone at risk. | 1                    | 2 | 2 | 1. Where required individuals can assist in handling the equipment and adhering to site Manual Handling measures. 2. Staff are to wear PPE at all times in accordance with the Clients requirements and site guidelines. | N/A  | 2           | N/A           | N/A         |
| Installation of<br>Equipment on site                    | Operator / Spectator<br>Participants | Injury whilst installing the equipment  Damage to venue | a). The equipment is inspected before installation to ensure it is free from damage.   | 1                    | 2 | 2 | 1.The equipment is secured with 30cm long 20mm diameter metal pegs if installed on grass. Sand   | N/A  | 2           | N/A           | N/A         |

| Installation of                | Operator / Spectator                 | Injury whilst                                    | b). The Operators   |   |   |   | bags are used if set up on   |     |   |     |     |
|--------------------------------|--------------------------------------|--|---|---|---|---|--|-----|---|-----|-----|
| Equipment on site (Cont.)      | Participants                         | installing the equipment  Damage to venue        | must have clear access to the setup area. c). The setup area  |   |   |   | hard standing.   |     |   |     |     |
|                                |                                      | Daniage to venue                                 | must be level and free from any debris. d). The operator must be notified of any underground services, cables, weight limits or any external factors that may hinder installation of equipment. e). The equipment should not be installed near any low level lighting, fixtures, fittings, displays or ornaments etc that pose a risk of falling. |   |   |   |  |     |   |     |     |
| Ground Type                    | Operator / Spectator<br>Participants | Injury to<br>Participant                         | a). The equipment can be operated on grass and hardstanding. b). The equipment is suitable for indoor and outdoor use.  | 1 | 1 | 1 | N/A  | N/A | 1 | N/A | N/A |
| Operation of Equipment on site | Operator / Spectator<br>Participants | Injury to Spectator<br>Injury to<br>Participants | a). The giant deck chair is freestanding and no more than 2 persons should sit on it at any one time. b). Users should climb on the chair individually. c). When exiting the deckchair users must   | 1 | 1 |   | 1. Spectators are to be a minimum of 2m distance away from the equipment and not allowed to sit / rest or interfere with the equipment at any time.  2. Where applicable, equipment is to be cleaned after use and using | N/A | 1 | N/A | N/A |

| Operation of Equipment on site (Cont.) | Operator / Spectator<br>Participants | Injury to Spectator<br>Injury to<br>Participants                       | ensure the area in<br>front of the chair is<br>clear and it is safe to<br>exit.   |   |   |   | approved cleaning<br>materials.   |     |   |     |     |
|--|--------------------------------------|--|---|---|---|---|---|-----|---|-----|-----|
| User Safety                            | Operator / Spectator<br>Participants | Injury to Operator Injury to Spectator Injury to Participants          | a). Participants who appear to be under the influence of alcohol or drugs to the extent they pose a risk to the operator / participants the operator will close the equipment and seek assistance form the event management. b). Children should be supervised by an adult at all times. c). Users should be aware of their own physical ability and notify the operator if they do not wish to participate or wish to end the activity. d). Anyone suffering from heart disease, physical mobility restrictions including broken bones or pregnancy should not take part in this activity. | 1 | 1 | 1 | The Fun Experts hold no liability for the onset of any medical condition or injury sustained from partaking in this activity. | N/A | 1 | N/A | N/A |
| Heat                                   | Operator / Spectator<br>Participants | Injury to Operator<br>Injury to Spectator<br>Injury to<br>Participants | a).The equipment<br>must not be set up in<br>an area that has any<br>naked flames or  | 1 | 1 | 1 | N/A   | N/A | 1 | N/A | N/A |

|         |                                      |  | direct sources of heat.  |   |   |   |     |     |   |     |     |
|---------|--------------------------------------|--|--|---|---|---|-----|-----|---|-----|-----|
| Weather | Operator / Spectator<br>Participants | Injury to Spectator<br>Injury to<br>Participants<br>(slip / trip/ falls) | a). The equipment is not suitable for use in heavy rain / high winds. b). Weather conditions are to be monitored by the Operator or Hirer to ensure the site and equipment remains safe. | 1 | 1 | 1 | N/A | N/A | 1 | N/A | N/A |

### **Risk Rating Calculator**

(Likelihood x Consequence = Risk)

|   | Likelihood that hazardous event will occur | Consequence of hazardous event |   |  |  |
|---|--|--------------------------------|---|--|--|
| 1 | Very unlikely                              | 1                              | Insignificant (no injury)                     |  |  |
| 2 | Unlikely                                   | 2                              | Minor (minor injury requiring first aid only) |  |  |
| 3 | Fairly likely                              | 3                              | Moderate (Up to three days absence)           |  |  |
| 4 | Likely                                     | 4                              | Major (More than seven days absence)          |  |  |
| 5 | Very likely                                | 5                              | Catastrophic (Permanent injury or death)      |  |  |

#### **Action Level Table**

| Risk Rating | Risk Level       | Actions to be ta | aken   |
|-------------|------------------|------------------|--|
| 20 – 25     | Very High Risk   | STOP!            | Stop the activity and take immediate action to reduce the risk, a detailed plan should be developed and    |
| 20 - 25     | very riigii kisk |                  | implemented before work commences or continues. Senior management should monitor the plan.                 |
| 15 – 16     | High Risk        | Urgent Action!   | Take immediate action and stop the activity if necessary, maintain existing controls rigorously. The       |
|             | nigii nisk       |                  | continued effectiveness of control measures should be monitored periodically.                              |
| 8 – 12      | Moderate Risk    | Action           | Moderate risks may be tolerated for short periods only while further control measures to reduce the        |
|             |                  |                  | risk are being planned and implemented. Improvements should be made within specified timescales.           |
| 3-6         | Low Risk         | Monitor          | Look to improve at the next review or if there is a significant change. Monitor the situation periodically |
|             | LOW KISK         |                  | to determine if new control measures are required.   |

1 – 2 Very Low Risk

No Action

No further action is usually required, but ensure that existing controls are maintained and reviewed regularly.

The above RA is based on guidelines and advice from Manufacturers and 'The Fun Experts' operating equipment within current HSE requirements and should be read in conjunction with 'The Fun Experts' Method Statement. The current Public Liability Insurance covers each item, for an amount of £10 million subject to our Terms and Conditions. If there are any questions relating to the use of the equipment please contact 'The Fun Experts'.