

## **Inflatable Slide Hire - Risk Assessment**

Company:	The Fun Experts	Location (Site / Building / Room):	Events					
Assessment Date:	21 March 2025	Review Date:	31 March 2026 (or if changes to the risk)					
Assessor's Name:	James Hindle	Job Title:	Logistics Co-Ordinator (IOSH)					
Description of Task:	Transportation, Assembly and Use of Inflatable Slide Hire Equipment							

Description of			Evaluation and	Curre	nt risk ra	ating*	Identify any	Timescale for		Risk Rating	
the hazard (or hazardous event)	Who might be at risk?	What is the risk?	Control Measures	L	С	R	additional controls that may be needed	additional controls and responsible person	L (Low)	M (Medium)	H (High)
Loading, Handling and Transportation of Equipment	Operator / Spectator	Injury whilst handling equipment	a). Equipment must be handled in the correct manner. b). Manual handling should be reduced to a minimum by using available trolleys / trucks. c). Ramps / Lifts to be used when required and available. d). Loads must be correctly secured. e). Individuals are not to undertake anything that puts themselves or anyone at risk.	1	2	2	1. Where required individuals can assist in handling the equipment and adhering to site ,Manual Handling measures. 2. Staff are to wear PPE at all times in accordance with the Clients requirements and site guidelines.	N/A	2	N/A	N/A
Installation of Equipment on site	Operator / Spectator Participants	Injury whilst installing the equipment Damage to venue	a). The equipment is inspected before installation to ensure it is free from damage.	1	2	2	1. The equipment is secured with 30cm long 20mm diameter metal pegs if installed on grass.	N/A	2	N/A	N/A

Installation of Equipment on site (Cont.)	Operator / Spectator Participants	Injury whilst installing the equipment  Damage to venue	b). The Operators must have clear access to the setup area. c). The setup area must be level and free from any debris. d). The Operator must be informed of any underground services, cables, weight limits or any external factors that may hinder installation of the equipment. e). The equipment must not be installed near overhead				2. The equipment is secured using sandbags if installed on hard standing.				
Ground Type	Operator / Spectator Participants	Injury to Participant	power lines.  a). The equipment can be installed on grass or hard standing. b). The area must be clear and free from debris / animal waste.	1	1	1	N/A	N/A	1	N/A	N/A
Electricity and Cabling	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	a). Equipment requires access to 13Amp plug socket. b). Power source should be no further than 25m away from equipment. c). All cabling to be covered where required and routed away from Walkways etc.	1	2	2	N/A	N/A	2	N/A	N/A

								, ,		
Electricity and Cabling (Cont.)	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	d). All electrical components are inspected for wear and that they are covered by the 6 month PAT test.							
Operation of Equipment on site	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	a). Participants will be instructed to form a queue in front of the equipment in view of the Operator who will control the queue. b). Participants must follow the Operators instructions at all times. c). Participants must go through the equipment in the same direction, no one is allowed to go against the flow. d). Safety Mats must be placed at the entry / exit points.		1	1. Spectators are to be a minimum of 2m distance away from the equipment and not allowed to sit / rest or interfere with the equipment at any time.  2.If applicable, equipment is to be cleaned after use and using approved cleaning materials.	N/A	1	N/A	N/A
User Safety	Operator / Spectator Participants	Injury to Operator Injury to Spectator	a). Participants who appear to be under the influence of alcohol / drugs will be refused access to the equipment. b). The Operator reserves the right to refuse permission to anyone they feel may be unsafe to partake in the activity. c). Participants must be wearing suitable	1	1	1. Where applicable, a Trained Operator will be in control of the equipment at all times who is briefed on the safe running of the equipment. 2. Trained Operators receive annual training and updates on the equipment operation. 3. If applicable remove all waste from the area and ensure that during the operation it is hazard free.	N/A	1	N/A	N/A

		_				1	ı	
User Safety	Operator / Spectator	Injury to Operator	clothing for the		4. The Fun Experts hold no			
(cont.)	Participants	Injury to Spectator	activity.		liability for the onset of any			
		Injury to	d). Items of loose		medical condition or injury			
		Participants	clothing must be		sustained from partaking in			
			secured and any		this activity.			
			watches, jewellery,					
			glasses must be					
			removed or secured					
			prior to taking part in					
			the activity.					
			e). Long hair should					
			be tied back /					
			secured.					
			f). Children must be					
			supervised by an					
			adult at all times.					
			g). Food and Drink					
			inclusive of chewing					
			gum and sweets will					
			not be allowed in the					
			operating area.					
			h). Anyone suffering					
			from heart disease,					
			physical mobility					
			restrictions including					
			broken bones and					
			are pregnant should					
			not take part in this					
			activity.					
			i). Participants					
			should be aware of					
			their own physical					
			ability and notify the					
			Operator if they					
			want to end the					
			activity.					
			j). All users must					
			slide down the slide					
			and not jump from					
			the top.					
			k). The equipment					
			must be used in					

Participants			
Weather  Operator / Spectator Participants  Injury to Spectator (slip / trip/ falls)  Now India Speed Speed Should be monitored during the course of the event by the Operator or the Hier and should not exceed the maximum permitted wind speed of 19mph.  C). If wind speed exceeds 19mph the equipment is to be cleared of all Participants and deflated until it is safe to re-inflate and resume the activity.  d). In the case of rain the activity will cease until the equipment is dry and safe to resume operation.  e). The Operator and Hier on the day will assess the conditions and equipment to	1	N/A	N/A

(cont.)	Participants	Injury to Spectator	ensure safe					
		Injury to	operations.					
		Participants	f) The Operator					
		(slip / trip/ falls	reserves the right to					
			close the operation if					
			they feel it is unsafe					
			to continue with the					
			activity.					

## **Risk Rating Calculator**

## (Likelihood x Consequence = Risk)

	Likelihood that hazardous event will occur	Consequence of hazardous event			
1	Very unlikely	1	Insignificant (no injury)		
2	Unlikely	2	Minor (minor injury requiring first aid only)		
3	Fairly likely	3	Moderate (Up to three days absence)		
4	Likely	4	Major (More than seven days absence)		
5	Very likely	5	Catastrophic (Permanent injury or death)		

## **Action Level Table**

Risk Rating	Risk Level	Actions to be ta	ken
20 – 25	Very High Risk	STOP!	Stop the activity and take immediate action to reduce the risk, a detailed plan should be developed and
20 - 25	very night hisk		implemented before work commences or continues. Senior management should monitor the plan.
15 – 16 High Risk		Urgent Action!	Take immediate action and stop the activity if necessary, maintain existing controls rigorously. The
13 – 10	nigii kisk		continued effectiveness of control measures should be monitored periodically.
8 – 12	Moderate Risk	Action	Moderate risks may be tolerated for short periods only while further control measures to reduce the
8-12	Widderate Nisk		risk are being planned and implemented. Improvements should be made within specified timescales.
3-6	Low Risk	Monitor	Look to improve at the next review or if there is a significant change. Monitor the situation periodically
3-0	LOW NISK		to determine if new control measures are required.
1-2	Very Low Risk	No Action	No further action is usually required, but ensure that existing controls are maintained and reviewed
1-2	very LOW NISK		regularly.



The above RA is based on guidelines and advice from Manufacturers and 'The Fun Experts' operating equipment within current HSE requirements and should be read in conjunction with 'The Fun Experts' Method Statement. The current Public Liability Insurance covers each item, for an amount of £10 million subject to our Terms and Conditions. If there are any questions relating to the use of the equipment please contact 'The Fun Experts'.