Snowboard Simulator - Risk Assessment

Company:	The Fun Experts	Location (Site / Building / Room):	Events					
Assessment Date:	21 March 2025	Review Date:	31 March 2026 (or if changes to the risk)					
Assessor's Name:	James Hindle Job Title: Logistics Co-Ordina							
Description of Task:	Transportation, Assembly and Use of Snowboard Simulator Equipment							

Description of			Evaluation and	Curre	nt risk ra	ating*	Identify any	Timescale for		Risk Rating	
the hazard (or hazardous event)	rdous at risk? What is the Co		Control Measures	L	С	R	additional controls that may be needed	additional controls and responsible person	L (Low)	M (Medium)	H (High)
Loading, Handling and Transportation of Equipment	Operator / Spectator	Injury whilst handling equipment	a). Equipment must be handled in the correct manner. b). Manual handling should be reduced to a minimum by using available trolleys / trucks. c). Ramps / Lifts to be used when required and available. d). Loads must be correctly secured. e). Individuals are not to undertake anything that puts themselves or anyone at risk.	1	2		1. Where required individuals can assist in handling the equipment and adhering to site Manual Handling measures. 2. Staff are to wear PPE at all times in accordance with the Clients requirements and site guidelines	N/A	2	N/A	N/A
Installation of Equipment on site	Operator / Spectator Participants	Injury whilst installing the equipment Damage to venue	a). The equipment is inspected before installation to ensure it is free from damage.	1	2	2	1. The equipment is secured with 30cm long 20mm diameter metal pegs if installed on grass.	N/A	2	N/A	N/A

	1							<u> </u>			
Installation of Equipment on site (Cont.)	Operator / Spectator Participants	Injury whilst installing the equipment Damage to venue	b). The Operators must have clear access to the setup area. c). The setup area must be level and free from any debris. d). The Operator must be informed of any underground services, cables, weight limits or any external factors that may hinder installation of the equipment.				2. The equipment is secured using sandbags if installed on hard standing.				
Ground Type	Operator / Spectator Participants	Injury to Participant	a). The equipment can be installed on grass or hard standing. b). The area must be clear and free from debris / animal waste.	1	1	1	N/A	N/A	1	N/A	N/A
Electricity and Cabling	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	a). Equipment requires access to 13Amp plug socket. b). Power source should be no further than 25m away from equipment. c). All cabling to be covered where required and routed away from Walkways etc. d). All electrical components are inspected for wear	1	2	2	N/A	N/A	2	N/A	N/A

Electricity and	Operator / Spectator	Injury to Operator	and that they are							
Cabling (Cont.)	Participants	Injury to Spectator Injury to Participants	covered by the 6 month PAT test.							
Operation of Equipment on site	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	a). Participants will be instructed to form a queue in front of the equipment in view of the Operator who will control the queue. b). Participants must follow the Operators instructions at all times. c). A maximum of 1 participant only is permitted to use the equipment. d). Safety Mats must be placed at the entry / exit points.		1	1. Spectators are to be a minimum of 2m distance away from the equipment and not allowed to sit / rest or interfere with the equipment at any time. 2. Equipment is to be cleaned after use and using approved cleaning materials.	N/A	1	N/A	N/A
User Safety	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	a). Participants who appear to be under the influence of alcohol / drugs will be refused access to the equipment. b). The Operator reserves the right to refuse permission to anyone they feel may be unsafe to partake in the activity. c). Participants must be wearing suitable clothing for the activity.	1	2	1. Where applicable, a Trained Operator will be in control of the equipment at all times who is briefed on the safe running of the equipment. 2. Trained Operators receive annual training and updates on the equipment operation. 3. 'A' Board displaying 'Rules and Instructions' must be visible at all times. 4. The Fun Experts hold no liability for the onset of any medical condition or injury sustained from partaking in this activity.	N/A	2	N/A	N/A

User Safety Operator / Spectator Injury to Operator d). Items of loose	
(cont.) Participants Injury to Spectator clothing must be	
Injury to secured and any	
Participants watches, jewellery,	
glasses must be	
removed or secured	
prior to taking part in	
the activity.	
e). Long hair should	
be tied back and	
secured.	
f). Children must be	
10 years of age or	
over and a minimum	
of 1.2m in height and	
supervised by an	
adult at all times.	
g). Food and Drink	
inclusive of chewing	
gum and sweets will	
not be allowed in the	
operating area.	
h). Participants	
should be aware of	
their own physical	
ability and notify the	
Operator if they	
want to end the	
activity.	
i). Anyone suffering	
from Heart Disease,	
physical mobility physical mobility	
restrictions,	
including broken	
bones, and those	
who are pregnant	
will not be allowed	
to take part in this	
activity.	
j). Riders must be in	
the correct position	
stood up with feet	

					 			t.	
User Safety (cont.)	Operator / Spectator Participants	Injury to Operator Injury to Spectator Injury to Participants	apart on the board. If anyone sits or lies down on the board the ride will be stopped. k). The equipment must be used in accordance with the Manufacturers guidelines. l). Equipment will be stopped as soon as the Participant falls or appears to do so or the Operator considers there is a possibility of any risk to Participants or Spectators.						
Weather	Operator / Spectator	Injury to Operator Injury to Spectator Participants (slip / trip/ falls	a). The equipment can be used in all mild weather conditions. b). Wind Speed should be monitored during the course of the event by the Operator or the Hirer and should not exceed the maximum permitted wind speed of 19mph. c). If wind speed exceeds 19mph the equipment is to be cleared of all Participants and deflated until it is safe to re-inflate and	1	1.Winds Speeds are monitored / measured by a supplied Anemometer.	N/A	1	N/A	N/A
Weather	Operator / Spectator	Injury to Operator	resume the activity.						

(cont.)	Participants	Injury to Spectator						
		Injury to	rain the activity will					
		Participants	cease until the					
		(slip / trip/ falls	equipment is dry and					
			safe to resume					
			operation.					
			e). The Operator and					
			Hirer on the day will					
			assess the conditions					
			and equipment to					
			ensure safe					
			operations.					
			f) The Operator					
			reserves the right to					
			close the operation if					
			they feel it is unsafe					
			to continue with the					
			activity.					

Risk Rating Calculator

(Likelihood x Consequence = Risk)

	Likelihood that hazardous event will occur	Consequence of hazardous event			
1	Very unlikely	1	Insignificant (no injury)		
2	Unlikely	2	Minor (minor injury requiring first aid only)		
3	Fairly likely	3	Moderate (Up to three days absence)		
4	Likely	4	Major (More than seven days absence)		
5	Very likely	5	Catastrophic (Permanent injury or death)		

Action Level Table

Risk Rating	Risk Level	Actions to be tak	en
20 – 25	0 – 25 Very High Risk		Stop the activity and take immediate action to reduce the risk, a detailed plan should be developed and
20 – 23	very riigii kisk		implemented before work commences or continues. Senior management should monitor the plan.
15 – 16	Urgent Action!		Take immediate action and stop the activity if necessary, maintain existing controls rigorously. The
15 – 16	High Risk		continued effectiveness of control measures should be monitored periodically.

8 – 12	Moderate Risk	Action	Moderate risks may be tolerated for short periods only while further control measures to reduce the
8 – 12 Widdel ate Risk			risk are being planned and implemented. Improvements should be made within specified timescales.
3 – 6	Low Risk	Monitor	Look to improve at the next review or if there is a significant change. Monitor the situation periodically
3 – 6 LOW RISK			to determine if new control measures are required.
1-2	Very Low Risk No Action		No further action is usually required, but ensure that existing controls are maintained and reviewed
1-2	very Low Risk		regularly.

The above RA is based on guidelines and advice from Manufacturers and 'The Fun Experts' operating equipment within current HSE requirements and should be read in conjunction with 'The Fun Experts' Method Statement. The current Public Liability Insurance covers each item, for an amount of £10 million subject to our Terms and Conditions. If there are any questions relating to the use of the equipment please contact 'The Fun Experts'.