Test of Strength Mini Test of Strength - Risk Assessment

| Company: | The Fun Experts | Location (Site / Building / Room): | Events | | | |
|----------------------|---|------------------------------------|---|--|--|--|
| Assessment Date: | 21 March 2025 | Review Date: | 31 March 2026 (or if changes to the risk) | | | |
| Assessor's Name: | James Hindle | Job Title: | Logistics Co-ordinator (IOSH) | | | |
| Description of Task: | Transportation, Assembly and Use of Test of Strength and variants Equipment | | | | | |

| Description of | | | Evaluation and | Current risk rating* | | ating* | Identify any | Timescale for | Risk Rating | | |
|---|--------------------------------------|---|--|----------------------|---|--------|--|--|-------------|---------------|-------------|
| the hazard (or hazardous event) | ous at risk? risk? | | Control Measures | | | R | additional controls that may be needed | additional controls and responsible person | L (Low) | M (Medium) | H (High) |
| Loading, Handling and Transportation of Equipment | Operator / Spectator | Injury whilst handling equipment | a). Equipment must be handled in the correct manner. b). Manual handling should be reduced to a minimum by using available trolleys / trucks. c). Ramps / Lifts to be used when required and available. d). Loads must be correctly secured. e). Individuals are not to undertake anything that puts themselves or anyone at risk. | 1 | 2 | | 1. Where required individuals can assist in handling the equipment and adhering to site Manual Handling measures. 2. Staff are to wear PPE at all times in accordance with the Clients requirements and site guidelines. | N/A | 2 | N/A | N/A |
| Installation of Equipment on site | Operator / Spectator Participants | Injury whilst installing the equipment Damage to venue | a). The equipment is inspected before installation to ensure it is free from damage. | 1 | 2 | | 1.The equipment is secured with 30cm long 20mm diameter metal pegs if installed on grass. | N/A | 2 | N/A | N/A |

| | T | | | | | | | | | 1 | |
|---|--------------------------------------|--|--|---|---|---|---|-----|---|-----|-----|
| Installation of Equipment on site (Cont.) | Operator / Spectator Participants | Injury whilst installing the equipment Damage to venue | b). The Operators must have clear access to the setup area. c). The setup area must be level and free from any debris. d). The operator must be notified of any underground services, cables, weight limits or any external factors that may hinder installation of the equipment. | | | | 2). The equipment is secured with sandbags if installed on hard standing. | | | | |
| Ground Type | Operator / Spectator Participants | Injury to Participant | a). The equipment can be installed on grass or hard standing. | 1 | 1 | 1 | N/A | N/A | 1 | N/A | N/A |
| Operation of Equipment on site | Operator / Spectator Participants | Injury to Operator Injury to Spectator Injury to Participants | a). Users will be requested to form a queue in front of the equipment in view of the operator who will control the queue. b). Participants are not allowed in the operational area whilst someone is participating. | 1 | 1 | 1 | 1. Spectators are to be a minimum of 1m distance away from the equipment and not allowed to sit / rest or interfere with the equipment at any time. 2. Where applicable, Equipment is to be cleaned after use and using approved cleaning materials. | N/A | 1 | N/A | N/A |
| User Safety | Operator / Spectator Participants | Injury to Operator Injury to Spectator Injury to Participants | a). Participants who appear to be under the influence of alcohol / drugs will be refused access to the equipment. | 1 | 2 | 2 | 1. Where applicable, a Trained Operator will be in control of the equipment at all times who is briefed on the safe running of the equipment. 2. Trained Operators receive annual training and | N/A | 2 | N/A | N/A |

| | | | | _ | | | T I | |
|-------------|----------------------|---------------------|-------------------------|---|--------------------------------|--|-----|--|
| User Safety | Operator / Spectator | Injury to Operator | b). Children must be | | updates on the equipment | | | |
| (Cont.) | Participants | Injury to Spectator | supervised by an | | operation. | | | |
| | | Injury to | adult at all times. | | 3. The Fun Experts hold no | | | |
| | | Participants | c). Participants must | | liability for the onset of any | | | |
| | | | adhere to the | | medical condition or injury | | | |
| | | | operator's | | sustained from partaking in | | | |
| | | | instructions at all | | this activity. | | | |
| | | | times. | | | | | |
| | | | d). Users must be | | | | | |
| | | | wearing suitable | | | | | |
| | | | clothing for the | | | | | |
| | | | activity. | | | | | |
| | | | e). Items of loose | | | | | |
| | | | clothing must be | | | | | |
| | | | secured and any | | | | | |
| | | | watches, jewellery, | | | | | |
| | | | glasses must be | | | | | |
| | | | removed or secured | | | | | |
| | | | prior to taking part in | | | | | |
| | | | the activity. | | | | | |
| | | | f). Long hair must be | | | | | |
| | | | tied back. | | | | | |
| | | | g). Anyone suffering | | | | | |
| | | | from heart disease, | | | | | |
| | | | physical mobility | | | | | |
| | | | restrictions including | | | | | |
| | | | broken bones and | | | | | |
| | | | pregnancy should | | | | | |
| | | | not take part in this | | | | | |
| | | | activity. | | | | | |
| | | | h). The operator | | | | | |
| | | | reserves the right to | | | | | |
| | | | refuse admission to | | | | | |
| | | | anyone they feel | | | | | |
| | | | may be unsafe to | | | | | |
| | | | partake in the | | | | | |
| | | | activity. | | | | | |
| | | | i). The equipment | | | | | |
| | | | must be used in | | | | | |
| | | | accordance with the | | | | | |
| | | | Manufacturers | | | | | |
| | | | guidelines. | | | | | |

| Noise | Operator / Spectator Participants | | a). Under 86db when in operation. | 1 | 1 | 1 | N/A | N/A | 1 | N/A | N/A |
|---------|--------------------------------------|--|--|---|---|---|-----|-----|---|-----|-----|
| Weather | Operator / Spectator Participants | Injury to Spectator Injury to Participants (slip / trip/ falls) | a). The equipment can be used in all mild weather conditions. b). The equipment is not suitable for sue in heavy rain / high winds. c). Weather conditions are to be monitored by the operator or hirer to ensure the site equipment remains safe. | 1 | 1 | 1 | N/A | N/A | 1 | N/A | N/A |

Risk Rating Calculator

(Likelihood x Consequence = Risk)

| | Likelihood that hazardous event will occur | Consequence of hazardous event | | |
|---|--|--------------------------------|---|--|
| 1 | Very unlikely | 1 | Insignificant (no injury) | |
| 2 | Unlikely | 2 | Minor (minor injury requiring first aid only) | |
| 3 | Fairly likely | 3 | Moderate (Up to three days absence) | |
| 4 | Likely | 4 | Major (More than seven days absence) | |
| 5 | Very likely | 5 | Catastrophic (Permanent injury or death) | |

Action Level Table

| Risk Rating | Risk Level | Actions to be ta | ken |
|-------------|----------------|------------------|--|
| 20 – 25 | Very High Risk | STOP! | Stop the activity and take immediate action to reduce the risk, a detailed plan should be developed and implemented before work commences or continues. Senior management should monitor the plan. |
| 15 – 16 | High Risk | Urgent Action! | Take immediate action and stop the activity if necessary, maintain existing controls rigorously. The continued effectiveness of control measures should be monitored periodically. |

| 8 – 12 | Moderate Risk | Action | Moderate risks may be tolerated for short periods only while further control measures to reduce the |
|--------|--------------------------|---------|--|
| 0-12 | 8 – 12 Moderate Risk | | risk are being planned and implemented. Improvements should be made within specified timescales. |
| 3 – 6 | Low Risk | Monitor | Look to improve at the next review or if there is a significant change. Monitor the situation periodically |
| 3-0 | 5 – 6 LOW RISK | | to determine if new control measures are required. |
| 1-2 | · 2 Very Low Risk No Act | | No further action is usually required, but ensure that existing controls are maintained and reviewed |
| 1-2 | very Low Risk | | regularly. |

The above RA is based on guidelines and advice from Manufacturers and 'The Fun Experts' operating equipment within current HSE requirements and should be read in conjunction with 'The Fun Experts' Method Statement. The current Public Liability Insurance covers each item, for an amount of £10 million subject to our Terms and Conditions. If there are any questions relating to the use of the equipment please contact 'The Fun Experts'.